


## DRIVER DISC content

Layer 1	
\API Package	Folder
\DRIVER	Folder
\USER MANUAL	Folder
README	PDF file



Layer 2 \API Package folder	
\DEMO PROJECT folder	Demo AP
\Document folder	Guide
\Prox API Standard folder	A01-0000-000-03-170214 x64(SE8400)

Layer 2 \DRIVER folder																			
\Device folder	<p><b>Touch / eGalaxTouch Driver</b></p> <table border="1"> <tr> <td colspan="3">Main board version: RA</td> </tr> <tr> <td rowspan="2">for Windows 7</td> <td>32bit</td> <td>5.14.0.15315</td> </tr> <tr> <td>64bit</td> <td>5.14.0.15315</td> </tr> <tr> <td rowspan="2">for Windows Embedded 8.1</td> <td>32bit</td> <td>NA</td> </tr> <tr> <td>64bit</td> <td>5.14.0.15315</td> </tr> <tr> <td rowspan="2">for Windows 10</td> <td>32bit</td> <td>NA</td> </tr> <tr> <td>64bit</td> <td>5.14.0.15315</td> </tr> </table>	Main board version: RA			for Windows 7	32bit	5.14.0.15315	64bit	5.14.0.15315	for Windows Embedded 8.1	32bit	NA	64bit	5.14.0.15315	for Windows 10	32bit	NA	64bit	5.14.0.15315
	Main board version: RA																		
for Windows 7	32bit	5.14.0.15315																	
	64bit	5.14.0.15315																	
for Windows Embedded 8.1	32bit	NA																	
	64bit	5.14.0.15315																	
for Windows 10	32bit	NA																	
	64bit	5.14.0.15315																	
\Flash BIOS folder	BIOS & Updating tool																		

\Platform folder	<p>Driver</p> <ol style="list-style-type: none"> <li>The sequence of setup is, Main Chip =&gt; KMDF(Win7) =&gt; ME =&gt; Hotfix =&gt; Kaby Lake Graphics or Sky Lake_Graphics =&gt; LAN Chip =&gt; Sound Codec =&gt; USB3.0 [Device folder] (Win7) =&gt; RST</li> <li>You will be prompted to reboot when installation is complete.</li> </ol>
------------------	--

### Main Chip /Intel® Skylake / KabyLake CPU

Main board version: RA		
for Windows 7 Sky Lake	32bit	10.1.1.13
	64bit	10.1.1.13
for Windows Embedded 8.1 Sky Lake	32bit	NA
	64bit	10.1.1.13
for Windows 10 Kaby Lake & Sky Lake	32bit	NA
	64bit	10.1.1.13

### ME

Main board version: RA		
for Windows 7	32bit	11.6.0.1050
	64bit	11.6.0.1050
for Windows Embedded 8.1	32bit	NA
	64bit	11.6.0.1050
for Windows 10	32bit	NA
	64bit	11.6.0.1050

### Windows update KMDf & MBI

Main board version: RA		
for Windows 7	32bit	kmdf-1.11-Win-6.1-x86
	64bit	kmdf-1.11-Win-6.1-x64
for Windows Embedded 8.1	32bit	NA
	64bit	NA
for Windows 10	32bit	NA
	64bit	NA

### Hotfix / Windows10 critical security update

Main board version		
Windows 10 IOT Enterprise	32bit	NA
	64bit	kb3211320-x64 kb3213986-x64

### Graphics /Intel® HD Graphics 530 / 630

Main board version: RA		
for Windows 7 Sky Lake	32bit	15.40.25.4463
	64bit	21.20.16.4590
for Windows Embedded 8.1 Sky Lake	32bit	NA
	64bit	21.20.16.4590
for Windows 10 Kaby Lake & Sky Lake	32bit	NA
	64bit	21.20.16.4590

## RAID (RST)

Main board version: RA		
for Windows 7	32bit	14.8.0.1042
	64bit	14.8.0.1042
for Windows Embedded 8.1	32bit	NA
	64bit	14.8.0.1042
for Windows 10	32bit	NA
	64bit	14.8.0.1042

## LAN Chip/ INTEL i219

Main board version: RA		
for Windows 7	32bit	21.0.504.0
	64bit	21.0.504.0
for Windows Embedded 8.1	32bit	NA
	64bit	21.0.504.0
for Windows 10	32bit	NA
	64bit	21.0.504.0

## INTEL i210

Main board version: RA		
for Windows 7	32bit	21.0.504.0
	64bit	21.0.504.0
for Windows Embedded 8.1	32bit	NA
	64bit	21.0.504.0
for Windows 10	32bit	NA
	64bit	21.0.504.0

## Sound Codec / Realtek ALC888S

Main board version: RA		
for Windows 7	32bit	R2.79
	64bit	R2.79
for Windows Embedded 8.1	32bit	NA
	64bit	R2.79
for Windows 10	32bit	NA
	64bit	R2.79

## USB 3.0

for Windows7	32bit	4.0.0.36
	64bit	4.0.0.36