

History:

20180705 SE-8400_V1.0 Update to V1.1

Updated WIFI / 4G card driver for Linux and Windows OS

a. WIFI Module

1. FANGTEC AJ-RTL-8812AEACC-01_v1.1_WLAN 802.11 ac 2T2R+BT4.0 Half Mini Card

b. 4G Module

2. Quectel EC25-E Mini PCIe_4G+GNSS mPCIe full-sized card w/o SIM holder,USB signal(-40~80)(B1/B3/B5/B7/B8/B20)

3. ublox MPC1-L210_4G(LTE/DC-HSPA+/EGPRS) Full-sized Mini PCIe Card without Sim Slot(-40~85)(B1/B3/B5/B7/B8/B20)

20201030 SE-8400_V1.1 Update to V1.2

1. SE-8400 User Manual M1 change to SE-8400 User Manual M3
2. SE-8400_Q1_20170613 change to SE-8400_Quick Guide_Q2_all

20221214 SE-8400_V1.2 Update to V1.3

1. SE-8400 User Manual M3 change to SE-8400 User Manual M4
2. SE-8400_Quick Guide_Q2_all change to SE-8400_Quick Guide_Q3 (A3)
3. Added LAN3_4 card driver for Windows OS
 - a. Innodisk mPCIe to dual isolated Gbe LAN card (Model: EMPL-G2S1-W1_Intel I225)

DRIVER DISC content

Layer 1	
\API Package	Folder
\DRIVER	Folder
\USER MANUAL	Folder
README	PDF file

Layer 2 \API Package folder

\DEMO PROJECT folder	Demo AP
\Prox API Standard folder	A01-0000-000-03-170214 x64(SE8400)
\Document folder	Guide

Layer 2 \DRIVER folder

\Flash BIOS folder	BIOS & Updating tool																		
\Platform folder	<p>Driver</p> <ol style="list-style-type: none">The sequence of setup is, Main Chip => KMDF(Win7)=> Intel(R) ME Package => VGA => LAN => SOUND => USB3.0 [Device folder] (Win7)You will be prompted to reboot when installation is complete. <p>Main Chip /Intel® Skylake CPU</p> <table border="1"><tr><td colspan="3">Main board version: RA</td></tr><tr><td rowspan="2">for Windows 7</td><td>32bit</td><td>10.1.1</td></tr><tr><td>64bit</td><td>10.1.1</td></tr><tr><td rowspan="2">for Windows Embedded 8.1</td><td>32bit</td><td>NA</td></tr><tr><td>64bit</td><td>10.1.1</td></tr><tr><td rowspan="2">for Windows 10</td><td>32bit</td><td>NA</td></tr><tr><td>64bit</td><td>10.1.1</td></tr></table>	Main board version: RA			for Windows 7	32bit	10.1.1	64bit	10.1.1	for Windows Embedded 8.1	32bit	NA	64bit	10.1.1	for Windows 10	32bit	NA	64bit	10.1.1
Main board version: RA																			
for Windows 7	32bit	10.1.1																	
	64bit	10.1.1																	
for Windows Embedded 8.1	32bit	NA																	
	64bit	10.1.1																	
for Windows 10	32bit	NA																	
	64bit	10.1.1																	

\Platform folder

Intel® ME Package

Main board version: RA		
for Windows 7	32bit	11.0.0.1174
	64bit	11.0.0.1174
for Windows Embedded 8.1	32bit	NA
	64bit	11.0.0.1174
for Windows 10	32bit	NA
	64bit	11.0.0.1174

Windows update KMDf & MBI

Main board version: RA		
for Windows 7	32bit	kmdf-1.11-Win-6.1-x86
	64bit	kmdf-1.11-Win-6.1-x64
for Windows Embedded 8.1	32bit	NA
	64bit	NA
for Windows 10	32bit	NA
	64bit	NA

Graphics /Intel® HD Graphics 530

Main board version: RA		
for Windows 7 Sky Lake	32bit	20.19.15.4463
	64bit	15.45.14.64.4590
for Windows Embedded 8.1 Sky Lake	32bit	NA
	64bit	15.45.14.64.4590
for Windows 10 Kaby Lake & Sky Lake	32bit	NA
	64bit	15.45.14.64.4590

RAID/

Main board version: RA		
for Windows 7	32bit	14.8.0.1042
	64bit	14.8.0.1042
for Windows Embedded 8.1	32bit	NA
	64bit	14.8.0.1042
for Windows 10	32bit	NA
	64bit	14.8.0.1042

LAN Chip/ INTEL i219

Main board version: RA		
for Windows 7	32bit	12.15.23.1
	64bit	12.15.23.1
for Windows Embedded 8.1	32bit	NA
	64bit	12.15.23.1
for Windows 10	32bit	NA
	64bit	12.15.23.1

INTEL i210

Main board version: RA		
for Windows 7	32bit	12.13.27.0
	64bit	12.13.27.0
for Windows Embedded 8.1	32bit	NA
	64bit	12.14.7.0
for Windows 10	32bit	NA
	64bit	12.14.7.0

Sound Codec / Realtek ALC888S

Main board version: RA		
for Windows 7	32bit	6.0.1.7541
	64bit	6.0.1.7541
for Windows Embedded 8.1	32bit	NA
	64bit	6.0.1.7541
for Windows 10	32bit	NA
	64bit	6.0.1.7541

USB 3.0

for Windows7	32bit	4.0.4.51
	64bit	4.0.4.51

Layer 2 \DRIVER folder

\Device folder

WIFI / AJ-RTL-8812AEACC-01

for Windows10	32bit	3.00.0012
	64bit	3.00.0012
for Linux	32bit	NA
	64bit	V5.1.5

4G / EC25-E

for Windows10	32bit	V1.0
	64bit	V1.0
for Linux	32bit	V1.3.0
	64bit	NA

4G

/ MPC1-L210

for Windows10	32bit	V1.0.1.6
	64bit	V1.0.1.6

LAN3_4

/ EMPL-G2S1-W1 (Intel I225)

for Windows10	32bit	NA
	64bit	v1.1.3.28